

International Journal of Homoeopathic <u>Sciences</u>

E-ISSN: 2616-4493 P-ISSN: 2616-4485 www.homoeopathicjournal.com IJHS 2024; 8(2): 05-07 Received: 10-01-2024 Accepted: 15-02-2024

Dr. Nisha Arvind Wanage

Associate Professor, Department of Homoeopathic Materia Medica Hamsa Homeopathy Medical College, Hospital & Research Centre, Ksheerasagar (V), Mulugu (M), Siddipet (D), Telangana, India

Dr. T Sai Indumathi Akhila

Intern Batch 2018, Hamsa Homeopathy Medical College, Hospital & Research Centre Ksheerasagar (V), Mulugu (M), Siddipet (D), Telangana, India

Dr. U Anoohhya

Intern Batch 2018, Hamsa Homeopathy Medical College, Hospital & Research Centre, Ksheerasagar (V), Mulugu (M), Siddipet (D), Telangana, India

Corresponding Author: Dr. Nisha Arvind Wanage Associate Professor, Department of Homoeopathic Materia Medica Hamsa Homeopathy Medical College, Hospital & Research Centre, Ksheerasagar (V), Mulugu (M), Siddipet (D), Telangana, India

A case report on meibomian cyst managed with homoeopathic care: Revolutionizing meibomian cyst treatment

Dr. Nisha Arvind Wanage, Dr. T Sai Indumathi Akhila and Dr. U Anoohhya

DOI: https://doi.org/10.33545/26164485.2024.v8.i2a.1111

Abstract

The human eye is the sense organ of vision. The most common disease of eyelids is meibomian cyst tarsal cyst or Chalazion. Almost everyone in their life at least once gets affected by chalazion. It occurs recurrently and can affect one eye after another. Chalazion is often confused with stye (external hordeolum), an acute suppurative inflammation of the lash follicle and its associated Zeis gland. It is a surgical case but it can be cured homeopathically in a rapid, gentle and holistic way by Homoeopathy.

Keywords: Meibomian cyst, chalazion, homoeopathy, stye

Introduction

Chalazion: It is a chronic non-infective (non-suppurative) lipogranulomatous inflammation of the meibomian gland. Also, popularly known as 'Meibomian cyst'. Upper eyelids have more meibomian glands than lower eyelids and are commonly affected.

Causes [1]

- 1. Frequent rubbing of eyes or fingering of lids.
- 2. Diabetes mellitus
- 3. Age no specific age group but occurs more commonly in children.

Pathogenesis ^[1]

- 1. The meibomian glands are infected with low-virulence organisms.
- 2. This leads to proliferation and infiltration of walls of ducts, which are blocked
- 3. The secretions get retained in the ducts thus causing enlargement.
- 4. The retained secretion in the gland later irritates and causes non-infective lipo granulomatous infection of the gland

Clinical Features

Symptoms

- 1. Painless swelling (lump that increases gradually in size).
- 2. Heaviness in the lid due to large chalazion
- 3. Watering of the eyes (Epiphora)
- 4. Visual disturbances depending on the size of the chalazion.

Signs^[1]

- 1. Nodule(lump) is away from the lid margin
- 2. On palpation- The lump is hard and non-tender.
- 3. Reddish purple area on palpebral conjunctiva.

Complications^[1]

- 1. Secondary infection
- 2. Malignancy Adenocarcinoma of the meibomian gland

Management^[1]

- 1. Avoid frequent rubbing of eyes
- 2. Maintain facial hygiene
- 3. Hot compression daily 2-3 times.

Homeopathic Management

Rubric covering chalazion from Repertory of the Homoeopathic Materia Medica by Dr. J.T. Kent

Eye- Challazae (tumours) – Aur, calc, cast-, con, graph, hep, hydrc, kali-bi, lyc, nat-m, nit-ac,phos, puls, sil, staph, sulph, teucr, thus

- **1. Staphysagria:** Recurrent styes and chalazion. Eyes sunken with blue rings. Margins of lids itch. Affections of inner canthi.
- 2. Thuja occidentalis ^[3]: Styes and tarsal tumors. Eyes agglutinated at night, dry and scaly. Acute and subacute inflammation of the sclera.
- **3.** Calcareacarbonica ^[3]: Sensitive to light. Lachrymation in the open air and early in the morning. Lachrymal ducts close on exposure to cold. Eyes get fatigued easily. Itching of lids, swollen, scurfy. Dimness of vision
- **4. Pulsatilla** ^[3]**:** Styes. Thick profuse yellow bland discharges. Itching and burning of eyes. Profuse lachrymation and secretion of mucus. Lids are inflamed and agglutinated.
- **5. Silicea** ^[3]**:** Styes. Angles of the eyes are affected. Aversion to light(daylight) <touch, on closing.

Case study

Patient Details

A 23-year-old unmarried female patient who visited in OPD on 04/08/2023 came with the complaint of a hard swelling near the left lower eyelid with itching, burning and watering for 7 months. On enquiry, she stated that swelling first started on the left upper eyelid and again reappeared on the right upper eyelid. This continued for around 1 year. The patient had taken allopathic medication but nothing relieved her complaints and the complaint recurred. The patient is moderately built. She has had no major illness in the past. In family history, her mother is diabetic, hypertensive and has hypothyroidism.

Generals

Mental Generals

The patient is anxious and shows her anger only to her close friends. She is dependent on others and indecisive. She

Repertorisation Chart

constantly thinks about what others think of her. She likes to be consoled when she is sad. Nervousness. The patient is easily affected by others' opinions of her and is tearful. Gets irritated easily. She likes to be silent in difficult situations. Feels suffocated in a closed room.

Physical Generals

- Appetite- Increased
- Thirst- decreased with a moist tongue.
- Perspiration Profuse (more on palms and soles)
- Bowels Regular
- Dreams Snakes
- Thermals Chilly, easily susceptible to cold.
- Desire Intense craving for sweets and salty things.
- Discharge Thick, yellowish bland discharge mixed with water.

Analysis of Symptoms

- **Mental Generals**
- Easily Irritated
- Anxious
- Indecisive
- Nervous
- Consolation Ameliorates

Physical Generals

- Thirst is decreased with a moist tongue
- Intense cravings for salty and sweet things
- Perspiration profuse on palms and soles.
- Suffocation in closed rooms

Particulars

- Thick, yellowish bland discharge mixed with water
- Watering eyes with itching and burning
- Hard swelling on the lower left eyelid

Totality of Symptoms

- Easily Irritated
- Anxious
- Indecisive
- Nervous
- Consolation Ameliorates
- Hard swelling on the left lower eyelid
- Thick, yellowish bland discharge mixed with water
- Intense cravings for salty and sweet things
- Thirst is decreased with a moist tongue
- Suffocation in closed rooms

1 MIND - ANXIETY				
2 MIND - CONSOLATION - amel.	Remedies	∑Sym	ΣDeg	Symptoms
3 MIND - EXCITEMENT - nervous	puls.	9	24	1, 2, 3, 4, 6, 7, 9, 10, 12
4 MIND - IRRESOLUTION				
5 MIND - IRRITABILITY - easily	merc.	9	14	1, 3, 4, 5, 6, 8, 9, 11, 12
EYE		8	16	1 0 0 4 6 0 11 10
6 EYE - DISCHARGES - yellow	arg-n.	0	16	1, 2, 3, 4, 6, 9, 11, 12
7 EYE - SWELLING - Lids - Lower - Margins of	nat-m.	8	11	1, 2, 3, 4, 8, 9, 11, 12
моитн				
8 MOUTH - MOIST - Tongue	staph.	8	10	1, 2, 3, 4, 5, 9, 11, 12
STOMACH				
9 STOMACH - THIRSTLESS	ars.	7	14	1, 3, 4, 6, 8, 9, 12
GENERALS				
10 GENERALS - FAINTNESS - closed room; in	lach.	7	14	1, 3, 4, 5, 9, 10, 12
11 GENERALS - FOOD and DRINKS - salt - desire - and - sweets	phos.	7	14	1, 2, 3, 4, 9, 11, 12
12 GENERALS - HEAT - lack of vital heat	prios.		14	1, 2, 0, 4, 5, 11, 12

Remedy Selected: Pulsatilla on the basis of the totality of symptoms.

Prescription: Pulsatilla 200 Single dose, Sac Lac (4 pills thrice daily) X 15 days

Follow up.

Date	Symptoms Status	Prescription & Advice		
	Swelling at left lower	Staphysagria 200 1 dose		
20/08/2023 (Ist	eyelid reduced by 30%	(4 pills stat)		
Follow up)	Discharge from eye +,	SL (4 pills thrice daily) x		
	Pain + on and off.	15 days was prescribed		
	Swelling at left lower			
05/09/2023 (2nd	eyelid reduced by 80%	SL (4 pills thrice daily) x		
follow up)	No Discharge from	15 days		
_	eye, No pain			
	Swelling at left lower	SL (4 pills thrice daily) x		
21/09/2023	eyelid completed gone.	15 days		
	No other complaints.	15 uays		

On 20/08/2023 (During treatment)



On 21/09/2023 (After treatment)



Conclusion

This case report demonstrates the efficacy of homoeopathic care in successfully managing a Meibomian cyst. The patient's positive response to the treatment protocol highlights the potential of Homoeopathy as a gentle and effective alternative therapy for addressing such ocular conditions. This case underscores the importance of considering holistic approaches in managing eye health, offering hope and encouragement for individuals seeking non-invasive solutions for Meibomian cysts.

Conflict of Interest

Not available

Financial Support

Not available

References

- Khurana AK. Comprehensive Ophthalmology. Edition -7th.
- 2. Repertory of the homeopathic materia medica by

J.T.Kent

3. Boericke's new manual of homoeopathic materia medica with repertory- William Boericke.

How to Cite This Article

Wanage NA, Akhila TSI, Anoohhya U. A case report on meibomian cyst managed with homoeopathic care: Revolutionizing meibomian cyst treatment. International Journal of Homoeopathic Sciences. 2024;8(2):05-07.

Creative Commons (CC) License

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 International (CC BY-NC-SA 4.0) License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.