International Journal of Homoeopathic Sciences

E-ISSN: 2616-4493
P-ISSN: 2616-4485
www.homoeopathicjournal.com
IJHS 2025; 9(2): 379-381
Received: 21-04-2025
Accepted: 24-05-2025

M Gnanashika
Intern, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamil Nadu Dr. M.G.R. Medical University, Chennai), Kulasekharam, Kanyakumari District, Tamil Nadu, India

Gokul Krishna
Intern, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamil Nadu Dr. M.G.R. Medical University, Chennai), Kulasekharam, Kanyakumari District, Tamil Nadu, India

Govind Krishnan PK
Intern, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamil Nadu Dr. M.G.R. Medical University, Chennai), Kulasekharam, Kanyakumari District, Tamil Nadu, India

Sibin RA
Assistant Professor, Department of Organon of medicine and Homoeopathic philosophy, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamil Nadu Dr. M.G.R. Medical University, Chennai), Kulasekharam, Kanyakumari District, Tamil Nadu, India

Corresponding Author:
M Gnanashika
Intern, Sarada Krishna Homoeopathic Medical College, (Affiliated to The Tamil Nadu Dr. M.G.R. Medical University, Chennai), Kulasekharam, Kanyakumari District, Tamil Nadu, India

Integrative and miasmatic approach in homeopathic management of type 2 diabetes mellitus: A comprehensive review

M Gnanashika, Gokul Krishna, Govind Krishnan PK and Sibin RA

DOI: https://www.doi.org/10.33545/26164485.2025.v9.i3.F.1683

Abstract
Type 2 Diabetes Mellitus (T2DM) is a globally prevalent chronic disorder characterized by persistent hyperglycaemia due to insulin resistance and/or insufficient insulin secretion. Despite the availability of conventional treatment options, long-term complications, side effects, and issues with adherence have led to interest in complementary and alternative medicine. Homoeopathy offers a holistic and individualized approach targeting both the physical and psychological dimensions of diabetes. This review integrates clinical, miasmatic, and dietary perspectives, focusing on individualized homeopathic remedies and Green Leafy Vegetable (GLV) interventions. Emerging evidence from case studies and small trials shows encouraging glycaemic and symptomatic improvement, but large-scale validation is needed.

Keywords: Type 2 diabetes mellitus, homoeopathy, miasm, insulin resistance, GLV, sulphur, Natrum muriaticum, syzygium jambolanum, glycaemic control

Introduction
Diabetes Mellitus (DM) represents a group of metabolic diseases characterized by chronic hyperglycaemia resulting from defects in insulin secretion, insulin action, or both [3]. Among its types, Type 2 Diabetes Mellitus (T2DM) is the most prevalent, constituting over 90% of all diabetic cases globally [4]. The World Health Organization (WHO) and International Diabetes Federation (IDF) forecast a rapid rise in diabetes incidence, projecting over 700 million affected individuals by 2045 [5]. T2DM imposes a high disease burden due to its association with macrovascular and microvascular complications. The growing interest in complementary therapies like homoeopathy is due to its focus on individualization and miasmatic theory especially useful in chronic diseases where psychosomatic interactions are pronounced [6]. This review examines the integrative potential of homeopathy, emphasizing its evidence base, miasmatic classification, and synergy with GLV-based dietary modifications.

Background
India, labelled the “diabetic capital of the world”, had over 77 million cases as of 2019 [6]. The condition is driven by sedentary lifestyles, obesity, high-calorie diets, and genetic predisposition [7]. Even though conventional therapies such as metformin, insulin, and DPP-4 inhibitors effectively manage blood glucose levels, they come with adverse effects including gastrointestinal discomfort, renal dysfunction, and treatment non-compliance [8]. These challenges make homoeopathy a promising adjunct or alternative.

Signs and symptoms of diabetes mellitus
Typical signs include polyuria, polydipsia, and polyphagia. Additional symptoms include fatigue, blurred vision, delayed wound healing, recurrent infections, peripheral neuropathy, nocturnal cramps, burning in soles, and emotional disturbances [9].

Etiologic classification of DM
According to the American Diabetes Association (ADA), DM is categorized into:
Type 1 DM: Autoimmune β-cell destruction causing absolute insulin deficiency
Type 2 DM: Progressive insulin resistance and β-cell dysfunction

Gestational DM: Occurs during pregnancy
Secondary DM: Caused by drugs, infections, or endocrine disorders [10]

Pathophysiology of DM
In T2DM, insulin resistance in muscles and adipose tissues coexists with impaired β-cell insulin secretion [11]. This imbalance leads to hyperglycaemia, triggering oxidative stress, low-grade inflammation, and endothelial dysfunction, eventually leading to microvascular and macrovascular complications [12].

Primary risk factors
Major risk factors include:
Obesity, especially central adiposity
Genetic predisposition
Sedentary lifestyle
Poor dietary habits
Psychological stress and depression
Age above 40 years [13]

Current international insight
Globally, over 75% of people with diabetes reside in low- and middle-income countries [14]. WHO and IDF emphasize early detection and prevention through community screening, public health education, lifestyle modification, and inclusion of complementary therapies like homoeopathy [15].

Diagnosis of DM
Diagnosis criteria include:
Fasting Plasma Glucose (FPG) >=126 mg/dL
HbA1c >=$6.^{5}$%
2-hour OGTT >=200 mg/dL post 75g glucose
Random glucose >=200 mg/dL with symptoms [16]

Management
Conventional treatment involves Oral Antidiabetic Drugs (OADs), insulin, and lifestyle modifications [17]. Homoeopathic management is tailored to each individual's symptoms and underlying miasmatic tendencies. Frequently prescribed remedies include Sulphur, Natrum Muriaticum, Syzygium jambolanum, Cephalandra indica, and Phosphorus. GLV-based diets have also shown to improve insulin sensitivity and reduce oxidative stress [18].

Literature Review
Studies show individualized homoeopathic prescriptions led to significant reductions in HbA1c, FBS, and PPBS levels [19]. A 30-patient clinical trial reported symptomatic improvement in $73.^{3}$% of cases treated using miasmatic principles [20]. Case studies with Natrum Muriaticum and Phosphorus documented normalized blood sugar levels and psychological improvements [21].

Research gap
Despite promising outcomes, there is a lack of large-scale, double-blinded Randomized Controlled Trials (RCTs) with long-term follow-up validating the efficacy of homoeopathy and dietary interventions in T2DM. Most existing studies have small sample sizes or limited duration [22].

Discussion
Homoeopathy, when practiced with constitutional and miasmatic considerations, can complement standard diabetes care by addressing metabolic, psychological, and lifestyle aspects of T2DM. Its cost-effectiveness and minimal side-effect profile make it suitable for wide implementation. Combined with GLV-based diets, this approach may offer a sustainable, patient-cantered solution for managing diabetes [23].

Conclusion and future insights
Homoeopathy and dietary modulation present viable adjunctive strategies in managing T2DM. Further research is needed to develop standardized protocols, promote integration into primary care, and explore the molecular mechanisms of action. Future directions include:
Multicentre government-funded trials
Integration in public healthcare models
Pharmacogenomics investigations on remedy response [24]

Abbreviations
T2DM - Type 2 Diabetes Mellitus
HbA1c - Glycated HAEMOGLOBIN
FPG - Fasting Plasma Glucose
OGTT - Oral Glucose Tolerance Test
OAD - Oral Antidiabetic Drugs
GLV - Green Leafy Vegetables
GLP-1 - Glucagon-Like Peptide 1

References

1. World Health Organization. Global report on diabetes. Geneva: WHO; 2016.
2. International Diabetes Federation. IDF Diabetes Atlas. 9th ed. Brussels: IDF; 2019.
3. Jameson JL, Fauci AS, Kasper DL, Hauser SL, Longo DL, Loscalzo J, editors. Harrison's Principles of Internal Medicine. 20th ed. New York: McGraw-Hill; 2018.
4. Seshaiah V. Handbook of Diabetes Mellitus. 3rd ed. Hyderabad: All India Publishers; 2016.
5. Dastagiri P. Homoeopathic management of diabetes mellitus. Int J Hom Sci. 2020;4(^{3}):291-297.
6. Nahar K, Kaushik S. Homoeopathy in diabetic complications: A review. Indian J Res Homoeopathy. 2021;15(^{1}):55-61.
7. Goswami V, Kumawat M, Choudhary A. Effect of homeopathic remedies in type ^{2} diabetes mellitus: A clinical study. Int J Hom Sci. 2023;7(4):533-536.
8. Banerjea SK. Miasmatic Diagnosis. New Delhi: B. Jain Publishers; 2005.
9. Boericke W. Pocket Manual of Materia Medica. 9th ed. New Delhi: B. Jain Publishers; 2005.
10. Hahnemann S. The Chronic Diseases: Their Peculiar Nature and Their Homoeopathic Cure. New Delhi: B. Jain Publishers; 2005.
11. Dubey A, Sharma N, Rathore M. Role of LM potencies in diabetes: A retrospective study. Int J Homeopathy Nat Med. 2024;10(1):17-26.
12. Tripathy T, Sahu M, Behera S. Psychological co-morbidities in type ^{2} diabetes patients. Curr Med Res Opin. 2023;6(12):1969-1975.
13. Talbot F, Nouwen A. A review of the relationship between depression and diabetes in adults. Diabetes Care. 2000;23:1556-1562.
14. Rubina K, Syed A, Khan MA. Homeopathy in diabetic neuropathy: A case series. World J Pharm Res. 2024;13(2):114-122.
15. Akalya KP, Rajalakshmi V. Homoeopathic treatment in

diabetic retinopathy: A case study. Int J Adv Complement Alt Res Educ. 2025;2(1):44-49.
16. Yadav VK, Meena RK, Sharma A. Homoeopathy in chronic diabetes: A survey-based study. JMPI. 2021;5(3):201-206.
17. Association of Physicians of India. API Textbook of Medicine. 9th ed. Mumbai: Jaypee Brothers; 2012.
18. National Institute of Mental Health and Neurosciences. National Mental Health Survey of India 2015-16. Bengaluru: NIMHANS; 2016.
19. IJA-CARE. Various authors. Multiple issues on Homoeopathic intervention in lifestyle disorders. Int J Adv Complement Alt Res Educ. 2023.
20. Goswami V, Kumawat M, Choudhary A. Homoeopathy in non-insulin-dependent diabetes mellitus: Clinical outcomes. Int J Hom Sci. 2023;7(4):533-536.
21. Kumar S, Bharti N, Gupta A. Homoeopathic support in glycemic control: A therapeutic trial. J Diab Res Ther. 2020;2(2):99-104.
22. To KL, Fok YK, Loo CY, Leung K. Homeopathic approach to chronic lifestyle diseases: A review. Homeopathy. 2017;106(2):79-86.
23. Hahnemann S. Organon of Medicine. 6th ed. New Delhi: B. Jain Publishers; 2005.
24. Tripathy T, Sahu M. Integrative approach for diabetes management: Insights from a clinical series. Curr Med Res Opin. 2023;6(12):1976-1981.

How to Cite This Article
Gnanashika M, Krishna G, Govind Krishnan PK, Sibin RA. Integrative and miasmatic approach in homeopathic management of type 2 diabetes mellitus: A comprehensive review. International Journal of Homoeopathic Sciences. 2025;9(3):379-381.